



*WJC*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

Wickert et al.

Patent No. 6,794,766 B2

*09843608*

Atty. Ref.: 839-968

Issued: Sep. 21, 2004

For: METHOD AND OPERATIONAL STRATEGY FOR  
CONTROLLING VARIABLE STATOR VANES OF A GAS  
TURBINE POWER GENERATOR COMPRESSOR  
COMPONENT DURING UNDER-FREQUENCY EVENTS

\* \* \* \* \*

November 3, 2004

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**  
NOV 05 2004  
**of Correction**

Sir:

**REQUEST FOR A CERTIFICATE OF CORRECTION**

The patentee in the above-identified patent hereby requests that the Patent and Trademark Office issue an official Certificate of Correction pursuant to 37 C.F.R. § 1.322 for the following typographical errors made by the Patent Office.

At column 1, line 49 (Oct. 31, 2003 amendment page 2, line 13), the word "operation" should read as "operational", at line 50 the word "critic" should read as "critical", at line 62 after the word "so" the word "as" is missing, at line 64 the word "rig" should read as "during", at line 65 the word "urge" should read as "surge" at column 2 lines 19/20 (Oct. 31 amendment page 3) the word "auditions" should read as "conditions" and at column 2 line 46 after the word "actuator" the word "as" is missing.

NOV 10 2004

#896263 v1 - C of C correction ltr

Further, in the claims at column 5 lines 8 and 17 (see the January 31 2004 Amendment page 2) the word "a" is used in place of the word "an."


Since the errors arose on the part of the Patent and Trademark Office, no fee is believed necessary for securing issuance of the Certificate.

Attached hereto is a draft Official Certificate of Correction for use by the Patent and Trademark Office correcting the above-identified matter.

The Commissioner is hereby authorized to charge any deficiency in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our **Account No. 14-1140**. A duplicate copy of this sheet is attached.

Respectfully submitted,

**NIXON & VANDERHYTE P.C.**

By:   
William G. Niessen  
Reg. No. 29,683

WGN:lmr  
1100 North Glebe Road, 8th Floor  
Arlington, VA 22201-4714  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100

Staple  
Here  
Only!

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,794,766 B2  
DATED : Sep. 21, 2004  
INVENTOR(S) : Wickert et al.

It is certified that error appears in the above-identified patent and that said letters patent is hereby corrected as shown below:

Column 1 line 49 change the word "operation" to the word "operational"

Column 1 line 50 change the word "critic" to the word "critical"

Column 1 line 62 after the word "so" insert the word "as"

Column 1 line 64 delete the word "rig" and insert the word "during"

Column 1 line 65 change the word "urge" to the word "surge"

Column 2 lines 19/20 delete the word "auditions" and insert the word "conditions"

Column 2 line 46 after the word "actuator" insert the word "and"

Column 5 line 8 change the word "a" to the word "an"

Column 5 line 17 change the word "a" to the word "an"

MAILING ADDRESS OF SENDER:

William G. Niessen  
NIXON & VANDERHYE P.C.  
1100 North Glebe Road, 8<sup>th</sup> Floor  
Arlington, Virginia 22201

PATENT NO. 6,794,766

No. of addi  
@ 50¢ per page

NOV 10 2004

# COPY

Staple  
Here  
Only!

## UNITED STATES PATENT AND TRADEMARK OFFICE

### CERTIFICATE OF CORRECTION

PATENT NO. : 6,794,766 *B2*  
DATED : Sep. 21, 2004  
INVENTOR(S) : Wickert et al.

It is certified that error appears in the above-identified patent and that said letters patent is hereby corrected as shown below:

Column 1 line 49 change the word "operation" to the word "operational"

Column 1 line 50 change the word "critic" to the word "critical"

Column 1 line 62 after the word "so" insert the word "as"

Column 1 line 64 delete the word "rig" and insert the word "during"

Column 1 line 65 change the word "urge" to the word "surge"

Column 2 lines 19/20 delete the word "auditions" and insert the word "conditions"

Column 2 line 46 after the word "actuator" insert the word "and"

Column 5 line 8 change the word "a" to the word "an"

Column 5 line 17 change the word "a" to the word "an"

#### MAILING ADDRESS OF SENDER:

William G. Niessen  
NIXON & VANDERHYE P.C.  
1100 North Glebe Road, 8<sup>th</sup> Floor  
Arlington, Virginia 22201

PATENT NO. 6,794,766

No. of addi'  
@ 50¢ per page

Form PTO 1050 (Rev. 2-93)

NOV 10 2004

#896234 v1 - C of C from ltr